


Fitting Instructions: Thunderbird A9638071

Thank you for choosing this Triumph genuine accessory kit. This accessory kit is the product of Triumph's use of proven engineering, exhaustive testing, and continuous striving for superior reliability, safety and performance.

Completely read all of these instructions before commencing the installation of the accessory kit in order to become thoroughly familiar with the kit's features and the installation process.

These instructions should be considered a permanent part of your accessory kit, and should remain with it even if your accessory equipped motorcycle is subsequently sold.



cfkk_2

Parts Supplied:

- | | |
|------------------|-------|
| 1. Harness guide | 2 off |
|------------------|-------|



Warning

This accessory kit is designed for use on Triumph Thunderbird motorcycles only and should not be fitted to any other manufacturer's motorcycle. Fitting this accessory kit to any other manufacturer's motorcycle will affect the performance, stability and handling of the motorcycle. This may affect the rider's ability to control the motorcycle and could cause an accident.



Warning

Always have Triumph approved parts, accessories and conversions fitted by a trained technician of an authorised Triumph dealer. The fitment of parts, accessories and conversions by a technician who is not of an authorised Triumph dealer may affect the handling, stability or other aspects of the motorcycle's operation which may result in loss of motorcycle control and an accident.



Warning


Throughout this operation, ensure that the motorcycle is stabilised and adequately supported to prevent risk of injury from the motorcycle falling.



Warning


A torque wrench of known accurate calibration must be used when fitting this accessory kit. Failure to tighten any of the fasteners to the correct torque specification may result in loss of motorcycle control and an accident.

1. Remove the screw and separate the two halves of the harness guide.



cfky_1

1. Screw
2. Harness guide
2. Fit the harness guides to the handlebar. Position the switch cube harness through the guide.
3. Align the harness guide such that it is pointing downwards and slightly forward. Tighten the screw to **3 Nm**.



1. Harness guide, left hand shown
2. Switch cube harness
3. Screw



Warning

Move the handlebar to the left and right full lock while checking that the harness guides do not restrict the steering by contacting the fuel tank or instrument panel. Operation of the motorcycle with restricted steering may result in loss of motorcycle control and an accident.



Caution

Move the handlebar to the left and right full lock while checking that the harness guides do not contact the fuel tank or instrument panel when moving the handlebar.

Damage to the fuel tank or instrument panel will result if the harness guides contact the fuel tank. If the harness guides do make contact adjust their position.

4. If the harness guides contact the fuel tank or instrument panel when on full lock, loosen the harness guide screw and position the harness guide such that it will not contact them. Tighten the screw to **3 Nm**.



Warning

If, after fitment of this accessory kit, you have any doubt about the performance of any aspect of the motorcycle, contact an authorised Triumph dealer and do not ride the motorcycle until the authorised dealer has declared it fit for use. Riding a motorcycle when there is any doubt as to any aspect of the performance of the motorcycle may result in loss of control of the motorcycle leading to an accident.



Warning

Never ride an accessory equipped motorcycle at speeds above 80 mph (130 km/h).

The presence of accessories will cause changes in the stability and handling of the motorcycle. Failure to allow for changes in motorcycle stability may lead to loss of control or an accident.

Remember that the 80 mph (130 km/h) limit will be reduced by the fitting of non-approved accessories, incorrect loading, worn tyres, overall motorcycle condition and poor road or weather conditions.



Warning

Only operate this Triumph motorcycle at high speed in closed-course on road competition or on closed-course racetracks. High speed operation should only be attempted by riders who have been instructed in the techniques necessary for high speed riding and are familiar with the motorcycle's characteristics in all conditions.

High speed operation in any other circumstances is dangerous and will lead to loss of motorcycle control and an accident.