


English**Fitting Instructions:****Speed Triple from VIN 461332 - Front Indicators Only
A9830043 and A9830044**

Thank you for choosing this Triumph genuine accessory kit. This accessory kit is the product of Triumph's use of proven engineering, exhaustive testing, and continuous striving for superior reliability, safety and performance.

Completely read all of these instructions before commencing the installation of the accessory kit in order to become thoroughly familiar with the kit's features and the installation process.

These instructions should be considered a permanent part of your accessory kit, and should remain with it even if your accessory-equipped motorcycle is subsequently sold.

A9830043**Parts Supplied:**

1. Direction indicator	2 off
------------------------	-------

A9830044**Parts Supplied:**

1. Relay	1 off
----------	-------



Warning

This accessory kit is designed for use on Triumph motorcycles only and should not be fitted to any other manufacturer's motorcycle. Fitting this accessory kit to any other manufacturer's motorcycle will affect the performance, stability and handling of the motorcycle. This may affect the rider's ability to control the motorcycle and could cause an accident.



Caution

This accessory kit is to be fitted to the front of the motorcycle only.

Damage to the LED indicators may occur if fitted to the rear of the motorcycle.

Note:

- **Ensure that a relevant Triumph Service Manual is available for reference during the fitting of this accessory kit.**



Warning

Always have Triumph approved parts, accessories and conversions fitted by a trained technician of an authorised Triumph dealer. The fitment of parts, accessories and conversions by a technician who is not of an authorised Triumph dealer may affect the handling, stability or other aspects of the motorcycle's operation which may result in loss of motorcycle control and an accident.



Warning

Throughout this operation, ensure that the motorcycle is stabilised and adequately supported to prevent risk of injury from the motorcycle falling.



Warning

A torque wrench of known accurate calibration must be used when fitting this accessory kit. Failure to tighten any of the fasteners to the correct torque specification may affect motorcycle performance, handling and stability. This may result in loss of motorcycle control and an accident.



Warning

With LED indicators fitted, if one of the indicator lights fail the remaining indicator will not flash faster but will continue to flash at its normal speed.

Riding a motorcycle with any of its lights not working is illegal and dangerous. Check that the lights and indicators are working and rectify as necessary, as described in the owner's handbook.


Notice

For the US and Canadian markets only, this accessory kit does not comply with F/CMVSS 108.

The fitting of this accessory kit is at the owner's risk. If you use a motorcycle fitted with this kit on public roads, you may be prosecuted.

Direction Indicators

1. Disconnect the battery as described in the service manual.
2. If necessary, remove any body panels to access the direction indicator connectors, as described in the service manual.
3. Release the fixing securing the direction indicator. Retain the fixing for re-use.



1. Direction indicator

2. Fixing


Note:

- **Note the routing of the direction indicator harness for installation.**

4. Follow the route of the direction indicator harnesses, disconnect them from the main harness and remove the indicators. Retain the indicators if the motorcycle is to be returned to its original condition.
5. Fit the direction indicators from the kit and tighten the fixings to the torque figure stated in the service manual.
6. Route the direction indicators harness as noted for removal and connect to the main harness. Ensure that the black cable is connected to the black cable on the main harness.
7. Refit any body panels that may have been removed as described in the service manual.

Direction Indicator Relay

1. Locate the direction indicator relay as described in the service manual.
2. Remove the relay and retain it if the motorcycle is to be returned to its original condition.



1. Direction indicator relay

3. Fit the relay from kit A9830044. The relay will fit only one way, do not force fit the relay.
4. Reconnect the battery, positive (red) lead first.
5. Check the operation of the direction indicators. Rectify as necessary.
6. Refit any body panels that may have been removed as described in the service manual.



Warning

If, after fitment of this accessory kit, you have any doubt about the performance of any aspect of the motorcycle, contact an authorised Triumph dealer and do not ride the motorcycle until the authorised dealer has declared it fit for use. Riding a motorcycle when there is any doubt as to any aspect of the performance of the motorcycle may result in loss of control of the motorcycle leading to an accident.