


Fitting Instructions: Thunderbird Commander and Thunderbird LT T2309260

Thank you for choosing this Triumph genuine accessory kit. This accessory kit is the product of Triumph's use of proven engineering, exhaustive testing, and continuous striving for superior reliability, safety and performance.

Completely read all of these instructions before commencing the installation of the accessory kit in order to become thoroughly familiar with the kit's features and the installation process.

These instructions should be considered a permanent part of your accessory kit, and should remain with it even if your accessory equipped motorcycle is subsequently sold.



Parts Supplied:

1.	Luggage rack	1 off	
----	--------------	-------	--



Warning

This accessory kit is designed for use on Triumph Thunderbird Commander and Thunderbird LT motorcycles only and should not be fitted to any other manufacturer's motorcycle. Fitting this accessory kit to any other manufacturer's motorcycle will affect the performance, stability and handling of the motorcycle. This may affect the rider's ability to control the motorcycle and could cause an accident.



Warning

Always have Triumph approved parts, accessories and conversions fitted by a trained technician of an authorised Triumph dealer. The fitment of parts, accessories and conversions by a technician who is not of an authorised Triumph dealer may affect the handling, stability or other aspects of the motorcycle's operation which may result in loss of motorcycle control and an accident.



Warning

Throughout this operation, ensure that the motorcycle is stabilised and adequately supported to prevent risk of injury from the motorcycle falling.




Warning

A torque wrench of known accurate calibration must be used when fitting this accessory kit. Failure to tighten any of the fasteners to the correct torque specification may result in loss of motorcycle control and an accident.

Note:

- **Additional kits T2306446 and A9758188 (supplied separately) are required for motorcycles without the backrest bar already fitted.**

1. Undo and remove the fixings, clamp plate and reflector (if fitted). Retain the clamp plate, reflector and fixings for re-use.



1. Backrest bar
2. Backrest bar bracket
3. Clamp plate
4. Reflector (if fitted)
5. Fixings


Notice

Failure to fit a reflector to each side of the luggage rack as shown contravenes federal law and renders the motorcycle illegal for road use in the United States, Canada, Argentina, Taiwan and Singapore. Always fit the reflectors as shown.

Note:

- **For motorcycles with rear reflectors fitted, install the reflector bracket between the luggage rack mounting and the clamp plate.**

2. Position the luggage rack to the backrest bar bracket and secure using the original fixings, as shown below. Do not fully tighten the fixings at this stage.



1. Luggage rack mounting
2. Backrest bar
3. Backrest bar bracket
4. Clamp plate
5. Reflector (if fitted)
6. Fixings

3. Repeat steps 1 and 2 for the right hand side.
4. Ensure the luggage rack is aligned centrally to the backrest bar, tighten the fixings to **27 Nm**.



Caution

Under no circumstances should the backrest bar or luggage rack be used to raise or support the motorcycle. Raising or supporting the motorcycle using the backrest bar or luggage rack will cause irreparable damage to the luggage rack, backrest bar and/or the motorcycle.



Warning

The maximum safe load for the luggage rack is 5 kg (11 lbs). Never exceed this loading limit as this may cause the motorcycle to become unstable leading to loss of control and an accident.



Warning

After fitting the accessory kit the motorcycle will exhibit new handling characteristics. Operate the motorcycle in a safe area free from traffic to gain familiarity with any new characteristics. Operation of the motorcycle when not familiar with any new handling characteristics may result in loss of motorcycle control and an accident.



Warning

If, after fitment of this accessory kit, you have any doubt about the performance of any aspect of the motorcycle, contact an authorised Triumph dealer and do not ride the motorcycle until the authorised dealer has declared it fit for use. Riding a motorcycle when there is any doubt as to any aspect of the performance of the motorcycle may result in loss of control of the motorcycle leading to an accident.



Warning

Never ride an accessory equipped motorcycle at speeds above 80 mph (130 km/h).

The presence of accessories will cause changes in the stability and handling of the motorcycle. Failure to allow for changes in motorcycle stability may lead to loss of control or an accident.

Remember that the 80 mph (130 km/h) limit will be reduced by the fitting of non-approved accessories, incorrect loading, worn tyres, overall motorcycle condition and poor road or weather conditions.



Warning

The motorcycle must not be operated above the legal road speed limit except in closed course conditions.



Warning

Only operate this Triumph motorcycle at high speed in closed course, on-road competition or on closed course racetracks. High speed operation should only be attempted by riders who have been instructed in the techniques necessary for high speed riding and are familiar with the motorcycle's characteristics in all conditions.

High speed operation in any other circumstances is dangerous and will lead to loss of motorcycle control and an accident.